AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A compound according to formula (II):

$$R_1$$
 R_2
 R_3
 R_4
 R_5
 R_6
 R_6

wherein:

wherein:

 $\mathsf{R1} = \mathsf{R'},\,\mathsf{R'C}(\mathsf{O})\,,\,\mathsf{R'}\;\mathsf{C}(\mathsf{S}),\,\mathsf{R'}\;\mathsf{SO2}\,,\,\mathsf{R'}\;\mathsf{OC}(\mathsf{O}),\,\mathsf{R'}\;\mathsf{NHC}(\mathsf{O})$

R' =

 $X_{i,\bar{i}} = O, S, NH_{i,\bar{i}} W, Y, Z = CH, N;$

R" = single or multiple ring substitution combinations taken from:

H, C1-7-alkyl, C3-6-cycloalkyl, OH, SH, amine, halogen;

R2, R4 = H, C1-7-alkyl, C3-7-cycloalkyl;

R3 = C1-7-alkyl, C3-7-cycloalkyl, Ar- C1-7-alkyl;

R5 = C1-7-alkyl, halogen, Ar- C1-7-alkyl, C1-3-alkyl-CONR"or Riv;

where n = 1-3, m = 1-3;

 R^{v} , R^{vi} = H, C1-7-alkyl;

A = N, CH;

B = N, O, S, CH;

R^{vii} = absent when B = O, S; or R^{vii} = H, C1-7-alkyl when B = N, CH;

 $R^{viii} = O, C1-7-alkyl;$

R6 = H, C1-7-alkyl, Ar- C1-7-alkyl, C1-3-alkyl-SO2-Rix.

C1-3-alkyl-C(O)-NHRix or CH2XAr;

wherein;


each C1-3 alkyl or C1-7-alkyl (used alone or in composite expressions) is optionally substituted by one or two halogens and/or a heteroatom S, O, NH, in which a heteroatom located at a chain terminus is optionally substituted with one or 2 hydrogen atoms or an S heteroatom is optionally oxidised to the sulphone;

each C3-6 or C3-7 cycloalkyl comprises a C1-7-alkyl which additionally contains a C3-6 or C3-7 carbocyclic ring, respectively; or the C3-6 or C3-7 cycloalkyl is spiro bound to the adjacent carbon without an intervening C1-C7;


each Ar- C1-7-alkyl comprises a phenyl, pyrazolyl, pyridyl, imidazolyl, oxazolyl, isoxazolyl, thiazinolyl, isothiazinolyl, thiazolyl, oxadiazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, furanyl or thienyl aromatic ring (Ar) attached through a C1-7-alkyl, which aromatic ring Ar is optionally substituted with halogen, C1-3-alkyl, OH, OC1-3-alkyl, SH, SC1-3-alkyl or amine;

and pharmaceutically acceptable salts thereof.

- 2. **(Original)** A compound according to claim 1, wherein R2 and/or R4 are hydrogen.
- 3. (Original) A compound according to claim 1, wherein R1 is R'C(O),



- 4. (Original) A compound according to claim 3, wherein R' is fur-3-yl or thien-3-yl
- 5. **(Original)** A compound according to claim 1, wherein R3 is n-butyl, t-butyl, 3-(2,2-dimethylpropyl), 4-(2-methylbutyl), 4-(3,3-dimethylbutyl), 4-(3,3-dimethyl-2-methylbutyl) or 5-(2-methyl-3- methylpentyl).
- 6. **(Original)** A compound according to claim 5, wherein R3 is t-butyl, 3-(2,2-dimethylpropyl) or 4-(3,3-dimethyl-2-methylbutyl).
- 7. **(Original)** A compound according to claim 1, wherein R5 is CH₃, C₂H₅, CH₂Ar, CH₂CONH₂, (CH₂)₂CONH₂,




- 8. (Original) A compound according to claim 7, wherein R5 is CH3 or CH2CH3.
- 9. **(Original)** A compound according to claim 1, wherein R5 has (S) stereochemistry.
- 10. (Original) A compound according to claim 1, wherein R6 is H or CH₂XAr.
- 11. (Original) A compound according to claim 1, wherein

R2 and R4 = H;

R3 = n-butyl, t-butyl, 3-(2,2-dimethylpropyl), 4-(2-methylbutyl), 4-(3,3-dimethylbutyl), 4-(3,3-dimethyl-2-methylbutyl), 4-(3-methyl-2-methylbutyl), 5-(2-methyl-3-methylpentyl);

R5 = CH_3 , C_2H_5 , CH_2Ar , CH_2CONH_2 , $(CH_2)_2CONH_2$,



R6 = H, CH₂-X-Ar or a pharmaceutically acceptable salt thereof

12. (Original) A compound which is selected from the group consisting of:

Furan-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)butyl]amide,

Furan-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,

Furan-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylbutyl]amide,

Furan-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylbutyl}amide,

Furan-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,

Furan-3-carboxylic acid [4-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [4-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-methylpentyl]amide,

Furan-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4-methylpentyl}amide,

Furan-3-carboxylic acid [4-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylpentyl]amide,

Furan-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylpentyl}amide,

Furan-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [3,3,4-trimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [3,3,4-trimethyl –1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3,4-trimethylpentyl]amide,

Furan-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]- 3,3,4-trimethylpentyl}amide,

Furan-3-carboxylic acid [3,3,4-trimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [3,4-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [3,4-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,4-dimethylpentyl]amide,

Furan-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,4-dimethylpentyl}amide,

Furan-3-carboxylic acid [3,4-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Furan-3-carboxylic acid [4,5-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)hexyl]amide,

Furan-3-carboxylic acid [4,5-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,

Furan-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4,5-dimethylhexyl]amide,

Furan-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4,5-dimethylhexyl}amide,

Furan-3-carboxylic acid [4,5-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,

Furan-3-carboxylic acid [3-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-3-phenylbutyl]amide,

Furan-3-carboxylic acid [3-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,

Furan-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-methyl-3-phenylbutyl]amide,

Furan-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3-methyl-3-phenylbutyl}amide,

Furan-3-carboxylic acid [3-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,

Furan-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-4-phenylbutyl]amide,

Furan-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,

Furan-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-4-phenylbutyl]amide,

Furan-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-4-phenylbutyl}amide,

Furan-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,

**

Furan-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-5-phenylpentyl]amide,

Furan-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide,

Furan-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-5-phenylpentyl]amide,

Furan-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-5-phenylpentyl}amide,

Furan-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)butyl]amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,

Thiophene-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylbutyl]amide,

Thiophene-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylbutyl}amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,

Thiophene-3-carboxylic acid [4-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [4-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-methylpentyl]amide,

Thiophene-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4-methylpentyl}amide,

Thiophene-3-carboxylic acid [4-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylpentyl]amide,

Thiophene-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylpentyl}amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [3,3,4-trimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [3,3,4-trimethyl –1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3,4-trimethylpentyl]amide,

Thiophene-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]- 3,3,4-trimethylpentyl}amide,

Thiophene-3-carboxylic acid [3,3,4-trimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [3,4-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [3,4-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,4-dimethylpentyl]amide,

Thiophene-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,4-dimethylpentyl}amide,

Thiophene-3-carboxylic acid [3,4-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Thiophene-3-carboxylic acid [4,5-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)hexyl]amide,

Thiophene-3-carboxylic acid [4,5-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,

Thiophene-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4,5-dimethylhexyl]amide,

Thiophene-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4,5-dimethylhexyl}amide,

Thiophene-3-carboxylic acid [4,5-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,

Thiophene-3-carboxylic acid [3-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-3-phenylbutyl]amide,

Thiophene-3-carboxylic acid [3-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,

Thiophene-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-methyl-3-phenylbutyl]amide,

Thiophene-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3-methyl-3-phenylbutyl}amide,

Thiophene-3-carboxylic acid [3-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-4-phenylbutyl]amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,

Thiophene-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-4-phenylbutyl]amide,

Thiophene-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-4-phenylbutyl}amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-5-phenylpentyl]amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide,

Thiophene-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-5-phenylpentyl]amide,

Thiophene-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-5-phenylpentyl}amide,

Thiophene-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide,

- 2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)butyl]amide,
- 2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,
- 2-Methylfuran-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylbutyl]amide,
- 2-Methylfuran-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylbutyl}amide,
- 2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,
- 2-Methylfuran-3-carboxylic acid [4-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,
- 2-Methylfuran-3-carboxylic acid [4-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,
- 2-Methylfuran-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-methylpentyl]amide,
- 2-Methylfuran-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4-methylpentyl}amide,
- 2-Methylfuran-3-carboxylic acid [4-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

- 2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,
- 2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,
- 2-Methylfuran-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylpentyl]amide,
- 2-Methylfuran-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylpentyl}amide,
- 2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,
- 2-Methylfuran-3-carboxylic acid [3,3,4-trimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,
- 2-Methylfuran-3-carboxylic acid [3,3,4-trimethyl –1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,
- 2-Methylfuran-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3,4-trimethylpentyl]amide,
- 2-Methylfuran-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]- 3,3,4-trimethylpentyl}amide,
- 2-Methylfuran-3-carboxylic acid [3,3,4-trimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,
- 2-Methylfuran-3-carboxylic acid [3,4-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,
- 2-Methylfuran-3-carboxylic acid [3,4-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,
- 2-Methylfuran-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,4-dimethylpentyl]amide,
- 2-Methylfuran-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,4-dimethylpentyl}amide,
- 2-Methylfuran-3-carboxylic acid [3,4-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

- 2-Methylfuran-3-carboxylic acid [4,5-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)hexyl]amide,
- 2-Methylfuran-3-carboxylic acid [4,5-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,
- 2-Methylfuran-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4,5-dimethylhexyl]amide,
- 2-Methylfuran-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4,5-dimethylhexyl}amide,
- 2-Methylfuran-3-carboxylic acid [4,5-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,
- 2-Methylfuran-3-carboxylic acid [3-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-3-phenylbutyl]amide,
- 2-Methylfuran-3-carboxylic acid [3-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,
- 2-Methylfuran-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-methyl-3-phenylbutyl]amide,
- 2-Methylfuran-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3-methyl-3-phenylbutyl}amide,
- 2-Methylfuran-3-carboxylic acid [3-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,
- 2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-4-phenylbutyl]amide,
- 2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,
- 2-Methylfuran-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-4-phenylbutyl]amide,
- 2-Methylfuran-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-4-phenylbutyl}amide,
- 2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,

- 2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-5-phenylpentyl]amide,
- 2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide,
- 2-Methylfuran-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-5-phenylpentyl]amide,
- 2-Methylfuran-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-5-phenylpentyl}amide,
- 2-Methylfuran-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide,
- *H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)butyl]amide,
- *H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,
- *H*-Pyrrole-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylbutyl]amide,
- *H*-Pyrrole-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylbutyl}amide,
- *H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,
- *H*-Pyrrole-3-carboxylic acid [4-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,
- *H*-Pyrrole-3-carboxylic acid [4-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,
- *H*-Pyrrole-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-methylpentyl]amide,
- *H*-Pyrrole-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4-methylpentyl}amide,
- *H*-Pyrrole-3-carboxylic acid [4-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

- *H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,
- *H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,
- *H*-Pyrrole-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylpentyl]amide,
- *H*-Pyrrole-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylpentyl}amide,
- *H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,
- *H*-Pyrrole-3-carboxylic acid [3,3,4-trimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,
- *H*-Pyrrole-3-carboxylic acid [3,3,4-trimethyl –1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,
- *H*-Pyrrole-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3,4-trimethylpentyl]amide,
- *H*-Pyrrole-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]- 3,3,4-trimethylpentyl}amide,
- *H*-Pyrrole-3-carboxylic acid [3,3,4-trimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,
- *H*-Pyrrole-3-carboxylic acid [3,4-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,
- *H*-Pyrrole-3-carboxylic acid [3,4-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,
- *H*-Pyrrole-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,4-dimethylpentyl]amide,
- *H*-Pyrrole-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,4-dimethylpentyl}amide,
- *H*-Pyrrole-3-carboxylic acid [3,4-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

- *H*-Pyrrole-3-carboxylic acid [4,5-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)hexyl]amide,
- *H*-Pyrrole-3-carboxylic acid [4,5-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,
- *H*-Pyrrole-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4,5-dimethylhexyl]amide,
- *H*-Pyrrole-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4,5-dimethylhexyl}amide,
- *H*-Pyrrole-3-carboxylic acid [4,5-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,
- *H*-Pyrrole-3-carboxylic acid [3-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-3-phenylbutyl]amide,
- *H*-Pyrrole-3-carboxylic acid [3-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,
- *H*-Pyrrole-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-methyl-3-phenylbutyl]amide,
- *H*-Pyrrole-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3-methyl-3-phenylbutyl}amide,
- *H*-Pyrrole-3-carboxylic acid [3-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,
- *H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-4-phenylbutyl]amide,
- *H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,
- *H*-Pyrrole-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-4-phenylbutyl]amide,
- *H*-Pyrrole-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-4-phenylbutyl}amide,
- *H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,

1*H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-5-phenylpentyl]amide,

1*H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide,

1*H*-Pyrrole-3-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-5-phenylpentyl]amide,

1*H*-Pyrrole-3-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-5-phenylpentyl}amide,

1*H*-Pyrrole-3-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide,

N-[3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)butyl]benzamide,

N-[3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)butyl]benzamide,

N-[1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylbutyl]benzamide,

N-{1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylbutyl}benzamide,

N-[3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)butyl]benzamide,

N- [4-methyl-1S- (2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl) pentyl] benzamide,

N-[4-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]benzamide,

N-[1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-methylpentyl]benzamide,

N-{1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4-methylpentyl}benzamide,

N-[4-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]benzamide,

N-[3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]benzamide,

N-[3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]benzamide,

強 · 接張 東省

N-[1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylpentyl]benzamide,

有特别感动

N-{1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylpentyl}benzamide,

N-[3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-

ylcarbamoyl)pentyl]benzamide,*N*-[3,3,4-trimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]benzamide,

N- [3,3,4-trimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl) pentyl] benzamide,

N-[1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3,4-trimethylpentyl]benzamide,

N-{1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]- 3,3,4-trimethylpentyl}benzamide,

N-[3,3,4-trimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]benzamide,

N-[3,4-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]benzamide,

N-[3,4-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]benzamide,

N-[1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,4-dimethylpentyl]benzamide,

N-{1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,4-dimethylpentyl}benzamide,

N-[3,4-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]benzamide,

N-[4,5-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)hexyl]benzamide,

N-[4,5-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)hexyl]benzamide,

N-[1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4,5-dimethylhexyl]benzamide,

N-{1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4,5-dimethylhexyl}benzamide,

N-[4,5-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)hexyl]benzamide,

N-[3-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-3-phenylbutyl]benzamide,

N-[3-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]benzamide, *N*-[1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-methyl-3-phenylbutyl]benzamide,

N-{1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3-methyl-3-phenylbutyl}benzamide,

N-[3-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]benzamide,

N-[3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-4-phenylbutyl]benzamide,

N-[3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]benzamide,

N-[1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-4-phenylbutyl]benzamide,

N-{1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-4-phenylbutyl}benzamide,

N-[3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]benzamide,

N-[3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-5-phenylpentyl]benzamide,

N-[3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]benzamide,

N-[1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-5-phenylpentyl]benzamide,

N-{1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-5-phenylpentyl}benzamide,

N-[3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]benzamide,

1

Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)butyl]amide,

Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,

Morpholine-4-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylbutyl]amide,

Morpholine-4-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylbutyl}amide,

Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)butyl]amide,

Morpholine-4-carboxylic acid [4-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [4-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-methylpentyl]amide,

Morpholine-4-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4-methylpentyl}amide,

Morpholine-4-carboxylic acid [4-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethylpentyl]amide,

Morpholine-4-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethylpentyl}amide,

Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [3,3,4-trimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [3,3,4-trimethyl –1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3,4-trimethylpentyl]amide,

Morpholine-4-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]- 3,3,4-trimethylpentyl}amide,

Morpholine-4-carboxylic acid [3,3,4-trimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [3,4-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [3,4-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,4-dimethylpentyl]amide,

Morpholine-4-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,4-dimethylpentyl}amide,

Morpholine-4-carboxylic acid [3,4-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)pentyl]amide,

Morpholine-4-carboxylic acid [4,5-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)hexyl]amide,

Morpholine-4-carboxylic acid [4,5-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,

Morpholine-4-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4,5-dimethylhexyl]amide,

Morpholine-4-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-4,5-dimethylhexyl}amide,

7

· 14. " 18.

Morpholine-4-carboxylic acid [4,5-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)hexyl]amide,

Morpholine-4-carboxylic acid [3-methyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-3-phenylbutyl]amide,

Morpholine-4-carboxylic acid [3-methyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,

Morpholine-4-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3-methyl-3-phenylbutyl]amide,

Morpholine-4-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3-methyl-3-phenylbutyl}amide,

Morpholine-4-carboxylic acid [3-methyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-3-phenylbutyl]amide,

Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-4-phenylbutyl]amide,

Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,

Morpholine-4-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-4-phenylbutyl]amide,

Morpholine-4-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-4-phenylbutyl}amide,

Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-4-phenylbutyl]amide,

Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(2S-methyl-4-oxo-tetrahydrofuran-3S-ylcarbamoyl)-5-phenylpentyl]amide,

Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(2-ethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide,

Morpholine-4-carboxylic acid [1S-(2-carbamoylmethyl-4-oxo-tetrahydrofuran-3-ylcarbamoyl)-3,3-dimethyl-5-phenylpentyl]amide,

Morpholine-4-carboxylic acid {1S-[2-(2-dimethylaminoethyl)-4-oxo-tetrahydrofuran-3-ylcarbamoyl]-3,3-dimethyl-5-phenylpentyl}amide,

Morpholine-4-carboxylic acid [3,3-dimethyl-1S-(4-oxo-2-pyrrolidin-1-ylmethyl-tetrahydrofuran-3-ylcarbamoyl)-5-phenylpentyl]amide, or a pharmaceutically acceptable salt thereof.

- 13. **(Original)** A pharmaceutical composition comprising a compound according to any preceding claim and a pharmaceutically acceptable carrier.
- 14. (Canceled)
- 15. (Canceled)
- 16. (Currently Amended) A compound of the formula IV

where

R1 is R'C(=O)- or R'-S(=O)2-

R'is

X, = O, S, NH,

W, Y, Z = CH, N;

R" = single or multiple ring substitution combinations taken from:

H, C1-7-alkyl, C3-6-cycloalkyl, OH, SH, amine, halogen;

R3 = C1-7-alkyl, C2-C7 alkenyl, C3-7-cycloalkyl, Ar, Ar-C1-7-alkyl, Ar-C1-C7-alkyl;

R4 = H, C1-7-alkyl, C3-7-cycloalkyl; C2-7alkenyl, Ar, ArC1-7-alkyl;

R5 = C1-7-alkyl, hydroxy- or halo-substituted C1-C7alkyl, halogen, Ar-C1-7-alkyl, C0-3-alkyl-CONR3R4 or R^{iv};

where n = 1-3, m = 1-3;

 R^{v} , $R^{vi} = H$, C1-7-alkyl;

A = N, CH;

wherein;

B = N, O, S, CH;

 R^{vii} = absent when B = O, S; or R^{vii} = H, C1-7-alkyl when B = N, CH; R^{viii} = O, C1-7-alkyl;

R6 = H, C1-7-alkyl, Ar-C1-7-alkyl, C1-3-alkyl-SO2- R^{ix} , C1-3-alkyl-C(O)-NH R^{ix} or CH₂XAr;

R^{ix} is C1-7 alkyl, ArC1-7-alkyl or C3-6-cycloalkyl;

each C1-3 alkyl or C1-7-alkyl (used alone or in composite expressions) is optionally substituted by one or two halogens and/or a heteroatom S, O, NH, in which a heteroatom located at a chain terminus is optionally substituted with one or 2 hydrogen atoms or an S heteroatom is optionally oxidised to the sulphone;

each C3-6 or C3-7 cycloalkyl comprises a C1-7-alkyl which additionally contains a C3-6 or C3-7 carbocyclic ring, respectively; or the C3-6 or C3-7 cycloalkyl is spiro bound to the adjacent carbon without an intervening C1-C7;


each Ar- C1-7-alkyl comprises a phenyl, pyrazolyl, pyridyl, imidazolyl, oxazolyl, isoxazolyl, thiazinolyl, isothiazinolyl, thiazolyl, oxadiazolyl, 1,2,3-triazolyl, 1,2,4-triazolyl, furanyl or thienyl aromatic ring (Ar) attached through a C1-7-alkyl, which aromatic ring Ar is optionally substituted with halogen, C1-3-alkyl, OH, OC1-3-alkyl, SH, SC1-3-alkyl or amine

and pharmaceutically acceptable salts thereof.

- 17. (Original) A compound according to claim 16, wherein R4 and/or R6 are hydrogen.
- 18. (Original) A compound according to claim 16, wherein R1 is R'C(O).
- 19. (Original) A compound according to claim 18,

- 20. (Original) A compound according to claim 19, wherein R' is fur-3-yl or thien-3-yl.
- 21. **(Original)** A compound according to claim 19, wherein R' is phenyl having multiple substitutions selected from C1-7 alkyl, C3-6-cyclocalkyl, OH, SH, amine and halogen.
- 22. **(Original)** A compound according to claim 21 wherein the substitutions are at the 3 and 4 position of the phenyl.

- 23. **(Original)** A compound according to claim 16 wherein R3 has the S stereochemistry.
- 24. **(Original)** A compound according to claim 23, wherein R3 is n-butyl, t-butyl, 3-(2,2-dimethylpropyl), 4-(2-methylbutyl), 4-(3,3-dimethylbutyl), 4-(3,3-dimethyl-2-methylbutyl) or 5-(2-methyl-3-methylpentyl).
- 25. **(Original)** A compound according to claim 24, wherein R3 is t-butyl, 3-(2,2-dimethylpropyl) or 4-(3,3-dimethyl-2-methylbutyl).
- 26. (Original) A compound according to claim 16, wherein R3 is C3-C6 cycloalkyl.
- 27. **(Original)** A compound according to claim 26 wherein R3 is the side chain of L-cyclopentylalanine.
- 28. **(Original)** A compound according to claim 16, wherein R5 is CH₃, C₂H₅, CH₂OH, CH₂Ar, CH₂CONH₂, (CH₂)₂CONH₂,



- 29. (**Original**) A compound according to claim 28, wherein R5 is CH₃, CH₂CH₃ or CH₂OH.
- 30. **(Original)** A compound according to claim 16, wherein R5 has (S) stereochemistry.

- 31. **(Original)** A compound according to claim 30, wherein the pyranone 4-bond also has the (S) stereochemistry.
- 32. **(Original)** A compound according to claim 16 wherein R5 has the (R) stereochemistry.
- 33. (Currently Amended) A compound according to claim 32 wherein the pyranone 4-bond also has the (R) stereochemistry.
- 34. (Original) A compound selected from the group consisting of

Furan-3-carboxylic acid (1*S*)-[3,3-dimethyl-1-(3-methyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-butyl]-amide

Furan-3-carboxylic acid (1*S*)-[2-cyclohexyl-1-(3-methyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-amide

- (1S)-*N*-[3,3-Dimethyl-1-(3-methyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-butyl]-benzamide
- (1S)-N-[2-Cyclohexyl-1-(3-methyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-benzamide
- (1*S*)-*N*-[3,3-Dimethyl-1-(3-methyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-butyl]-4-hydroxy-3-methyl-benzamide
- (1S)-N-[2-Cyclohexyl-1-(3-methyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-4-hydroxy-3-methyl-benzamide

Furan-3-carboxylic acid (1S)-[2-cyclopentyl-1-(3-methyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-amide

- (1S)-N-[2-Cyclopentyl-1-(3-methyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-benzamide
- (1S)-N-[2-Cyclopentyl-1-(3-methyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-4-hydroxy-3-methyl-benzamide

Furan-3-carboxylic acid (1S)-[3,3-dimethyl-1-(3-ethyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-butyl]-amide

Furan-3-carboxylic acid (1S)-[2-cyclohexyl-1-(3-ethyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-amide

- (1S)-N-[3,3-Dimethyl-1-(3-ethyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-butyl]-benzamide
- (1S)-N-[2-Cyclohexyl-1-(3-ethyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-benzamide

- (1S)-N-[3,3-Dimethyl-1-(3-ethyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-butyl]-4-hydroxy-3-methyl-benzamide
- (1S)-N-[2-Cyclohexyl-1-(3-ethyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-4-hydroxy-3-methyl-benzamide
- Furan-3-carboxylic acid (1S)-[2-cyclopentyl-1-(3-ethyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-amide
- (1S)-N-[2-Cyclopentyl-1-(3-ethyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-benzamide
- (1S)-N-[2-Cyclopentyl-1-(3-ethyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-4-hydroxy-3-methyl-benzamide
- Furan-3-carboxylic acid (1*S*)-[3,3-dimethyl-1-(3-propyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-butyl]-amide
- Furan-3-carboxylic acid (1*S*)-[2-cyclohexyl-1-(3-propyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-amide
- (1S)-N-[3,3-Dimethyl-1-(3-propyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-butyl]-benzamide
- (1S)-N-[2-Cyclohexyl-1-(3-propyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-benzamide
- (1*S*)-*N*-[3,3-Dimethyl-1-(3-propyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-butyl]-4-hydroxy-3-methyl-benzamide
- (1S)-N-[2-Cyclohexyl-1-(3-propyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-4-hydroxy-3-methyl-benzamide
- Furan-3-carboxylic acid (1S)-[2-cyclopentyl-1-(3-propyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-amide
- (1S)-N-[2-Cyclopentyl-1-(3-propyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-benzamide
- (1S)-N-[2-Cyclopentyl-1-(3-propyl-5-oxo-tetrahydro-pyran-4-ylcarbamoyl)-ethyl]-4-hydroxy-3-methyl-benzamide and pharmaceutically acceptable salts thereof
- and pharmaceancany acceptable saits increor
- 35. (Original) A compound according to claim 34 having the 3S,4S configuration.
- 36. (Original) A compound according to claim 34 having the 3R,4R configuration.
- 37. **(Original)** A pharmaceutical composition comprising a compound according to claim 16 and a pharmaceutically acceptable carrier.

38. **(Original)** A pharmaceutical composition comprising a compound according to claim 34 and a pharmaceutically acceptable carrier.

39. (Canceled)

- 40. **(Currently Amended)** A method for the preparation of a compound as defined in claim 16, comprising the steps of manipulating the protecting groups on a suitably protected carbohydrate derivative to effect deoxygenation at the anomeric postion, introducing the R5 substituent via a ketone functionality, for example by Wittig chemistry, introducing the 4-amino group by further manipulation of the remaining carbohydrate oxygen functionality to provide a protected 4-amino-5-substituted pyranone, N-extending the amine function using peptide chemistry and adding the R'C(=O) or R'S(=O)₂ capping group.
- 41. **(Original)** A method for the preparation of a compound as defined in claim 16, comprising the steps of diazotising an O-protected, acyclic carboxylic derivative of a suitably derivatised 3-amino-4-substituted lactone, cyclising the diazomethylketone produced to afford a protected 4-amino-5-substituted pyranone, N-extending the amine function using peptide chemistry and adding the R'C(=O) or R'S(=O)₂ capping group
- 42. **(New)** The method according to claim 40, wherein said R5 substituent is introduced via Wittig chemistry.
- 43. (**New**) A compound according to claim 1, wherein C1-3 alkyl or C1-7-alkyl (used alone or in composite expressions) is optionally substituted by one or two halogens and/or a heteroatom S, O, NH, in which a heteroatom located at a chain terminus is optionally substituted with one or 2 hydrogen atoms.

- 44. (**New**) A compound according to claim 1, wherein each C3-6 or C3-7 cycloalkyl comprises a C1-7-alkyl which additionally contains a C3-6 or C3-7 cycloalkyl ring, respectively.
- 45. (**New**) A compound according to claim 1, wherein each C3-6 or C3-7 cycloalkyl comprises a C1-7-alkyl which additionally contains a C3-6 carbocyclic ring, selected from cyclopropyl, cyclobutyl, cyclopentyl or cyclohexyl.
- 46. (**New**) A compound according to claim 16, wherein C1-3 alkyl or C1-7-alkyl (used alone or in composite expressions) is optionally substituted by one or two halogens and/or a heteroatom S, O, NH, in which a heteroatom located at a chain terminus is optionally substituted with one or 2 hydrogen atoms.
- 47. (**New**) A compound according to claim 16, wherein each C3-6 or C3-7 cycloalkyl comprises a C1-7-alkyl which additionally contains a C3-6 or C3-7 cycloalkyl ring, respectively.
- 48. (**New**) A compound according to claim 16, wherein each C3-6 or C3-7 cycloalkyl comprises a C1-7-alkyl which additionally contains a C3-6 carbocyclic ring, selected from cyclopropyl, cyclobutyl, cyclopentyl or cyclohexyl.